

# **Section 01 58 00 Specification for New York State Environmental Facilities Corporation Financing Signage**

## **PART 1 GENERAL**

### **1.1 SUMMARY**

- A. This specification covers the fabrication and installation of a construction sign for facilities receiving funding from the New York State Environmental Facilities Corporation (EFC) through the Clean Water State Revolving Fund (CWSRF), Drinking Water State Revolving Fund (DWSRF), Infrastructure Investment and Jobs Act (IIJA)/Bipartisan Infrastructure Law (BIL), New York State Water Infrastructure Improvement (WIIA) or Intermunicipal Water Infrastructure Grants (IMG) programs, Green Innovation Grant Program (GIGP), Green Resiliency Grants (GRG), or Overflow and Stormwater Grants (OSG).

### **1.2 RELATED SECTIONS**

- A. None

### **1.3 SUBMITTALS**

- A. Shop Drawings: In compliance with direction from the Owner, the Contractor shall prepare and submit a site plan and mock-up of temporary project signs.

## **PART 2 PRODUCTS**

### **2.1 GENERAL**

- A. The sign shall be fabricated and erected within 21 days following the notice to proceed on the first contract at the facility and shall be maintained by site Contractors, as directed by the Owner, until final construction completion for all funded projects at the facility.
- B. For facilities with funding from multiple sources, the logos outlined below must be included on a single project sign including the text, as indicated on the schematic, as approved by the funding agencies.

- C. There should be one project sign. If the project has multiple locations, one project sign centrally located as directed by the Owner is acceptable.
- D. The attached EFC Project Sign Schematic aligning with funding anticipated for this project shall be used when no other sign exists. Complete the project name and municipality name fields.

## 2.2 MATERIALS AND FABRICATION

- A. Sign Size: 96" wide by 48" tall with mitered corners.
- B. Sign Panel: The sign panel shall be constructed of 3/4" minimum thickness marine plywood rabbeted into a 2"x4" lumber frame or other such materials capable of withstanding typical weather conditions common to the project area. Use of recycled or recovered materials is encouraged.
- C. Fasteners: All fasteners used in the fabrication of the sign shall be rust-proof.
- D. Sign Supports: The sign shall be adequately supported and braced to remain in the proper positioning and alignment, including resistance to wind loads and toppling of the sign.
- E. Coating: All paint or exterior coverings used shall be exterior grade coating suitable for use on wood or the material of construction. The sign face background and sign back shall be white and consist of a minimum two coats of paint.
- F. Lettering and Emblem: The sign shall include the following logos in an aspect ratio consistent with other lettering on the sign but not less than a height of 2.0".
  1. The EFC logo available at <https://efc.ny.gov/efc-logo-pdf>
  2. For DWSRF, DW WIIA, or DW IMG projects: The New York State Department of Health (DOH) logo available at <https://efc.ny.gov/efc-doh-logo>
  3. For CWSRF, OSG, and DWSRF projects: The EPA logo available at <https://efc.ny.gov/epa-logo>, consistent with the EPA Logo & Seal Specifications for Signage Produced by EPA Assistance Agreement Recipients as outlined in <https://www.epa.gov/sites/default/files/2015->

[01/documents/epa\\_logo\\_seal\\_specifications\\_for\\_infrastructure\\_grants.pdf](01/documents/epa_logo_seal_specifications_for_infrastructure_grants.pdf)

4. CWSRF, OSG, WIIA, IMG, or GRG projects must:
  - i. Include a border and agency logo color PMS 553C (Hex #233F2B)
  - ii. Use black colored Proxima Nova Bold font on a white background
    1. 200 point for Project Name and Municipality Name
    2. 125 point for drop-down text (for CWSRF or OSG)
  - iii. Incorporate the following language (for CWSRF or OSG):

*This project is jointly funded by the New York State Clean Water State Revolving Fund and the U.S. Environmental Protection Agency. The program is administered by the New York State Environmental Facilities Corporation*

5. DWSRF, DW WIIA, or DW IMG projects must:
  - i. Include a border and agency logo color PMS 302C (Hex #154973)
  - ii. Use black colored Proxima Nova Bold font on a white background
    1. 200 point for Project Name and Municipality Name
    2. 125 point for drop-down text (for DWSRF)
  - iii. Incorporate the following language (for DWSRF):

*This project is jointly funded by the New York State Drinking Water State Revolving Fund and the U.S. Environmental Protection Agency. The program is administered by the New York State Environmental Facilities Corporation with its partner the New York State Department of Health*

6. For Clean Water, Clean Air and Green Jobs Environmental Bond Act funded WIIA or GRG projects: Contact EFC for logo

## **PART 3 EXECUTION**

### **3.1 INSTALLATION**

- A. The project sign shall be erected in the location and alignment, as directed by the Engineer or the Owner, with the bottom of the sign panel a minimum of five feet above existing grade.

### 3.2 MAINTENANCE

- A. The Contractor shall provide all materials required to maintain the sign in good condition throughout the duration of the work.
- B. Upon notification of the Owner, the Contractor shall remove the sign from the construction site.

End of Section

**Funded by:**



# **Environmental Facilities Corporation**

**This project is jointly funded by the New York**

**and the U.S. Environmental Protection Agency.**

**The program is administered by the New York State Environmental Facilities Corporation.**

**Governor Kathy Hochul**

